

Xerox® Baltoro® HF Production Inkjet Press Tested Substrate List (TSL) for Pre Sale

25-Jan-2023

The TSL contains paper and specialty media that has been tested by Xerox Global Development Group. All testing is an observation of the performance at the time of the test. It is not a guarantee of future performance.

Baltoro Approved Papers (Single Dryer Configuration)

Plain and Inkjet Treated:
16 lb Bond (60 gsm) to 100 lb Cover (270 gsm)

Coated Stocks:
61 lb (90 gsm) to 100 lb (148 gsm)

Thickness ≤ .30 mm

Key

- Satisfactory Performance
- Customer should validate the limitations are acceptable for their application
- Not Recommended

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|--------------|-----------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 1 | Europe | | Antalis | Business | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Color | No |
| 2 | Europe | | Antalis | Cocoon Jet | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | A4 | Optimized for Speed | No |
| 3 | Europe | | Antalis | Cocoon PrePrint | | 90 | Plain | not specified | Untreated Uncoated | 100 | A4 | Optimized for Speed | No |
| 4 | Europe | | Antalis | Cyclus PrePrint | | 90 | Plain | not specified | Untreated Uncoated | 100 | A4 | Optimized for Speed | No |
| 5 | Europe | | Antalis | Data Copy | | 90 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 6 | Europe | | Antalis | Edixion Offset | | 80 | Plain | not specified | Untreated Uncoated | 0 | 270 mm x 350 mm | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|--------------|-----------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 7 | Europe | NEW | Antalis | Image Business | | 90 | Plain | not specified | Untreated Uncoated | 0 | A3 | Optimized for Speed | No |
| 8 | Europe | NEW | Antalis | Image Business | | 90 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 9 | Europe | | Antalis | Image Digicolor | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 10 | Europe | | Antalis | Image Digicolor | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 11 | Europe | | Antalis | Image Digicolor | | 100 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 12 | Europe | | Antalis | Image Digicolor | | 100 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 13 | Europe | | Antalis | Image Digicolor | | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 14 | Europe | | Antalis | Image Digicolor | | 160 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 15 | Europe | | Antalis | Image Digicolor | | 160 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 16 | Europe | | Antalis | Image Digicolor | | 160 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 17 | Europe | | Antalis | Image Digicolor | | 200 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Color | No |
| 18 | Europe | | Antalis | Image Digicolor | | 200 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 19 | Europe | | Antalis | Image Digicolor | | 250 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 20 | Europe | | Antalis | Image Digicolor | | 250 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 21 | Europe | | Antalis | Image Digicolor | | 280 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|--------------|-----------------------------|----------------|------------|------------|---------------|--------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 22 | Europe | | Antalis | Image Indigo | | 100 | Plain | not specified | Untreated Uncoated | 0 | SRA3+ | Optimized for Speed | No |
| 23 | Europe | | Antalis | Novatech Silk | | 90 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 24 | Europe | | Antalis | Novatech Digital Silk | | 115 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 25 | Europe | | Antalis | Novatech Digital Silk | | 130 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 26 | Europe | | Antalis | Novatech Digital Silk | | 150 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 27 | Europe | | Antalis | Novatech Matte | | 100 | Coated | Matte | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 28 | Europe | | Antalis | Olin Regular Absolute White | | 90 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 29 | Europe | | Antalis | Printspeed Offset | | 60 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 30 | Europe | | Antalis | Printspeed Offset | | 80 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 31 | Europe | | Antalis | Printspeed Offset | | 90 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 32 | Europe | | Arctic | Amber Graphic | | 70 | Plain | not specified | Untreated Uncoated | 0 | 315 mm x 440 mm | Optimized for Speed | No |
| 33 | Europe | | Arctic | Arctic Silk+ | | 130 | Coated | Silk | Untreated Matte Coated | 0 | 210 mm x 400 mm | Optimized for Color | Yes |
| 34 | Europe | | Arctic | G-Print | | 100 | Coated | Matte | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 35 | Europe | | Arctic | Munken Premium Cream | | 80 | Plain | not specified | Untreated Uncoated | 0 | 320 mm x 440 mm | Optimized for Speed | No |
| 36 | Europe | | Arctic | Munken Premium Cream | | 90 | Plain | not specified | Untreated Uncoated | 0 | 320 mm x 440 mm | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|-----------------------------|-------------------------|----------------|------------|----------------|------------------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 37 | North America | | Billerud (previously Verso) | Anthem Satin GS | 70 T | 104 | Coated | Satin | Untreated Matte Coated | 0 | 19 x 13 | Optimized for Color | Yes |
| 38 | North America | | Billerud (previously Verso) | Blazer PN 308176 | 70 T | 105 | Coated | Satin | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 39 | North America | | Billerud (previously Verso) | Blazer Digital Satin | 80 T | 118 | Coated | Satin | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 40 | North America | | Billerud (previously Verso) | Blazer Digital Satin | 100 T | 148 | Coated | Satin | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 41 | North America | | Billerud (previously Verso) | Sterling Digital Silk | 80 T | 118 | Coated | Silk | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 42 | Europe | | Clairefontaine | Digital Copy Print | | 90 | Inkjet Treated | SuperSilk (Calendared) | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 43 | Europe | | Clairefontaine | Digital Copy Print | | 90 | Inkjet Treated | SuperSilk (Calendared) | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 44 | Europe | | Clairefontaine | Digital Copy Print | | 100 | Inkjet Treated | SuperSilk (Calendared) | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 45 | Europe | | Clairefontaine | Digital Copy Print | | 100 | Inkjet Treated | SuperSilk (Calendared) | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 46 | Europe | | Clairefontaine | Digital Copy Print | | 120 | Inkjet Treated | SuperSilk (Calendared) | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 47 | Europe | | Clairefontaine | Digital Copy Print | | 120 | Inkjet Treated | SuperSilk (Calendared) | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 48 | Europe | | Clairefontaine | Digital Copy Print | | 200 | Inkjet Treated | SuperSilk (Calendared) | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 49 | Europe | | Clairefontaine | Eminent | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 50 | Europe | | Clairefontaine | Eminent | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 51 | Europe | | Clairefontaine | Eminent | | 100 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 52 | Europe | | Clairefontaine | Evercopy Plus | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | A4 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|----------------------|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 53 | Europe | | Clairefontaine | Evercopy Premium | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 54 | Europe | | Clairefontaine | Evercopy Premium | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | A4 | Optimized for Speed | No |
| 55 | Europe | | Clairefontaine | Everprint White | | 110 | Plain | not specified | Untreated Uncoated | 100 | SRA3 | Optimized for Speed | No |
| 56 | Europe | | Clairefontaine | Everprint White | | 150 | Plain | not specified | Untreated Uncoated | 100 | SRA3 | Optimized for Speed | No |
| 57 | Europe | | Clairefontaine | Laser 2800 | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 58 | Europe | | Clairefontaine | Trophee Green | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 59 | Europe | | Clairefontaine | Trophee Orange PN 1769 | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 60 | Europe | | Clairefontaine | Trophee Rose | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 61 | North America | | Contract Paper Group | Scholastic Copy | | 75 | Plain | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 62 | North America | | CTP Solutions | CTP / Inkjet Media Solutions DocuCopy ID Cards 90# White Index FoldOver Inkjet Style | 90 Index | 140 | ID Card | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 63 | North America | | CTP Solutions | CTP / Inkjet Media Solutions Double Parallel Fold PSFPRL | 28 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Color | No |
| 64 | North America | | CTP Solutions | CTP / Inkjet Media Solutions Double Post Card - No Window PSDBPCD | 90 Tag | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 65 | North America | | CTP Solutions | CTP / Inkjet Media Solutions Double TransVue Window PSEPRBC - TB | 28 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|---------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 66 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 100 Label 1 Up Label Size 8.5" x 11" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 67 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 105 Label 2 Up Label Size 8.5" x 5.5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 68 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 110 Label 4 Up Label Size 4.5" x 5.5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 69 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 115 Label 6 Up Label Size 4.25" x 3.66" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 70 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 120 Label 8 Up Label Size 4.25" x 2.75" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 71 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 125 Label 4 Up Label Size 4" x 5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 72 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 130 Label 6 Up Label Size 8" x 1.5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 73 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 135 Label 6 Up Label Size 4" x 3.33" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 74 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 140 Label 8 Up Label Size 8" x 4.25" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 75 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 145 Label 10 Up Label Size 4" x 2" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|---------------|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 76 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 150 RC Label 4 Up Label Size 4" x 6" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 77 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 155 Label 4 Up Label Size 4" x 6" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 78 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 180 Label 2 Up Label Size 6.75" x 4.75" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 79 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 185 Label 2 Up Label Size Click & Ship | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 80 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 190 Label 2 Up Label Size 6.75" x 4.25" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 81 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 195 Label 2 Up Label Size 7.375" x 4.5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 82 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 200 Label 2 Up Label Size eBay Thank You | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 83 | North America | | CTP Solutions | CTP / Inkjet Media Solutions FS 230 Label 30 Up Label Size 2.625" x 1" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 84 | North America | | CTP Solutions | CTP / Inkjet Media Solutions Pressure Seal V-fold PSEMPV | 28 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 85 | North America | | CTP Solutions | CTP / Inkjet Media Solutions Return Envelope PSF2W | 28 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|---------------|---|----------------|------------|----------------|---------------|-------------------------------|--------------------------|-------------|------------------------------|--------------------|
| 86 | North America | | CTP Solutions | CTP / Inkjet Media Solutions Security Grade Check Stock - Blank PSEPRZ | 28 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 87 | WW | | CVG | Crown Letsgo Bright Matte | 61 T | 90 | Inkjet Coated | Matte | Inkjet Treated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 88 | WW | | CVG | Crown Letsgo Bright Silk | 61 T | 90 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 89 | WW | | CVG | Crown Letsgo Bright Silk | 61 T | 90 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 90 | WW | | CVG | Crown Letsgo Bright Silk | 61 T | 90 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | SRA4 | Optimized for Color | Yes |
| 91 | WW | | CVG | Crown Letsgo Bright Silk | | 235 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 92 | WW | | CVG | Crown Letsgo Bright Silk 3rd Gen | | 90 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 93 | WW | | CVG | Crown Letsgo Bright Silk 3rd Gen | | 115 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 94 | WW | | CVG | Crown Letsgo Bright Silk 3rd Gen | | 170 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 95 | WW | | CVG | Crown Letsgo High Performance | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 96 | WW | | CVG | Crown Letsgo High Performance | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 97 | WW | | CVG | Crown Letsgo High Performance | | 120 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 98 | WW | | CVG | Crown Letsgo Matte 3rd Gen | | 90 | Inkjet Coated | Matte | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 99 | WW | | CVG | Crown Letsgo Matte 3rd Gen | | 115 | Inkjet Coated | Matte | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 100 | WW | | CVG | Crown Letsgo Silk 3rd Gen | | 70 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 101 | WW | | CVG | Crown Letsgo Silk 3rd Gen | | 90 | Inkjet Coated | Silk | Inkjet Treated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 102 | WW | | CVG | Crown Letsgo Universal 3rd Gen | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 103 | WW | | CVG | Crown Letsgo Universal Pigment | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 104 | WW | | CVG | Crown Letsgo Universal Pigment | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 105 | North America | | Digitabs | Printable Plain Blank Tabs 7 cut, Reverse Collated White | 90 Index | 162 | Plain | not specified | Untreated Uncoated | 0 | 9 x 11 | Optimized for Speed | No |
| 106 | North America | | Digitabs | Printable Plain Blank Tabs 5 cut, Reverse Collated White | 90 Index | 162 | Plain | not specified | Untreated Uncoated | 0 | 9 x 11 | Optimized for Speed | No |
| 107 | North America | | Digitabs | Printable Plain Blank Tabs 7 cut, Straight Collated White | 90 Index | 162 | Plain | not specified | Untreated Uncoated | 0 | 9 x 11 | Optimized for Speed | No |
| 108 | North America | | Digitabs | Printable Plain Blank Tabs 5 cut, Straight Collated White | 90 Index | 162 | Plain | not specified | Untreated Uncoated | 0 | 9 x 11 | Optimized for Speed | No |
| 109 | North America | | Domtar | Cougar Digital Choice Color Copy Super Smooth PN 3180 | 24 B | 90 | Plain | Super Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 110 | North America | | Domtar | Cougar Digital Color Copy Super Smooth PN 2707 | 60 T | 90 | Plain | Super Smooth | Untreated Uncoated | 0 | 13 x 19 | Optimized for Speed | No |
| 111 | North America | | Domtar | Cougar Digital Opaque Offset Smooth PN 3390 | 60 T | 90 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 112 | North America | | Domtar | Cougar Digital Opaque Offset Smooth PN 3391 | 70 T | 104 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 113 | North America | | Domtar | Cougar Digital Smooth PN 2223 | 24 B | 90 | Plain | Smooth | Untreated Uncoated | 0 | 13 x 19 | Optimized for Speed | No |
| 114 | North America | | Domtar | Cougar Digital Smooth PN 2834 | 24 B | 90 | Plain | Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 115 | North America | | Domtar | Cougar Opaque Smooth | 50 T | 75 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 116 | North America | | Domtar | Cougar Super Smooth PN 2706 | 60 T | 90 | Plain | Super Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 117 | North America | | Domtar | Cougar Super Smooth PN 2754 | 80 T | 118 | Plain | Super Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 118 | North America | | Domtar | Cougar Super Smooth PN 2768 | 80 C | 216 | Plain | Super Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 119 | North America | | Domtar | Cougar Super Smooth PN 2772 | 100 C | 270 | Plain | Super Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 120 | North America | | Domtar | Cougar Super Smooth PN 2744 | 70 T | 104 | Plain | Super Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 121 | North America | | Domtar | DomtarCopy | 20 B | 75 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 122 | North America | | Domtar | Earth Choice Ivory Vellum Opaque PN 81062 | 60 T | 90 | Plain | Vellum | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 123 | North America | | Domtar | Husky Copy | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 124 | North America | | Domtar | Husky Digital Opaque PN 2172 | 60 T | 90 | Plain | not specified | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 125 | North America | | Domtar | Husky Digital Opaque PN 2173 | 70 T | 104 | Plain | not specified | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 126 | North America | | Domtar | Husky Digital Opaque PN 5462 | 60 T | 90 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 127 | North America | | Domtar | Husky Digital Smooth | 50 T | 74 | Plain | Smooth | Untreated Uncoated | 10 | 12 x 18 | Optimized for Speed | No |
| 128 | North America | NEW | Domtar | HuskyJet | 50 T | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | Letter | Optimized for Color | No |
| 129 | North America | | Domtar | Husky Opaque Offset | 70 T | 104 | Plain | not specified | Untreated Uncoated | 0 | 14 x 19 | Optimized for Speed | No |
| 130 | North America | | Domtar | Husky Recycled Digital PN 9268 | 24 B | 90 | Plain | not specified | Untreated Uncoated | 30 | 8.5 x 11 | Optimized for Speed | No |
| 131 | North America | | Domtar | LeafJET | 20 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 132 | North America | | Domtar | Lettermark PN 3977 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 133 | North America | | Domtar | Lettermark PN 3970 | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 134 | North America | | Domtar | Lettermark PN 3972 | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Speed | No |
| 135 | North America | | Domtar | Lettermark PN 3973 | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 136 | North America | | Domtar | Lettermark PN 3976 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 137 | North America | | Domtar | Lettermark Premium PN 3990 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 138 | North America | | Domtar | Lettermark Premium PN 3992 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Speed | No |
| 139 | North America | | Domtar | Lettermark Premium PN 3993 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 140 | North America | NEW | Domtar | Lettermark Vellum Bristol Canary PN 94343 | | 147 | Plain | Vellum | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 141 | North America | NEW | Domtar | Lettermark Vellum Bristol Green PN 94356 | | 147 | Plain | Vellum | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 142 | North America | NEW | Domtar | Lettermark Vellum Bristol Pink PN 94362 | | 147 | Plain | Vellum | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 143 | North America | NEW | Domtar | Lettermark Vellum Bristol White PN 94339 | | 147 | Plain | Vellum | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 144 | North America | | Domtar | Lynx Digital PN 630400 | 60 T | 90 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 145 | North America | | Domtar | Lynx Digital PN 630700 | 60 T | 90 | Plain | not specified | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 146 | North America | | Domtar | Lynx Digital PN 630800 | 70 T | 104 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 147 | North America | | Domtar | Lynx Digital PN 639829 | 80 C | 216 | Plain | Smooth | Untreated Uncoated | 0 | 19 x 13 | Optimized for Speed | No |
| 148 | North America | | Domtar | Lynx Digital Opaque PN 639633 | 80 T | 120 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 149 | north America | | Domtar | Lynx Digital Opaque PN 639634 | 100 T | 148 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 150 | North America | | Domtar | Lynx Digital Opaque PN 639637 | 100 C | 270 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 151 | North America | | Domtar | Lynx Digital Satin | 24 B | 90 | Inkjet Treated | Super Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 152 | North America | | Domtar | Lynx Digital Smooth | 65 C | 176 | Plain | Smooth | Untreated Uncoated | 10 | 12 X 18 | Optimized for Speed | No |
| 153 | North America | | Domtar | LynxJET | 60 T | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 154 | North America | | Domtar | LynxJET | 70 T | 104 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 155 | North America | | Domtar | LynxJET PN 600952 | 60 T | 89 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 156 | North America | | Domtar | LynxJET PN 600955 | 70 T | 104 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 157 | North America | | Domtar | LynxJET 7 POINT PN 5267 | | 125 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 158 | North America | | Domtar | LynxJET 9 POINT PN 5268 | | 147 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 159 | North America | | Domtar | WillCopy | 20 B | 75 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 160 | North America | | Domtar | WillCopy Custom Cuts 1 Perf at 3 2/3 inches PN 851032 | 20 B | 75 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 161 | WW | | Double A | Double A Color Print | | 90 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 162 | WW | | Double A | Everday | 20 B | 75 | Plain | not specified | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 163 | WW | | Double A | Everday | 20 B | 75 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 164 | WW | | Double A | Premium | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 165 | Europe | | Drewsen | CBS1 | | 95 | Security | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 166 | Europe | | Drewsen | ProCopy | | 200 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Color | No |
| 167 | Europe | | Drewsen | Watermarked Security Paper | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---|----------------|------------|------------|---------------|--------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 168 | Europe | | Fedrigoni | Arena Smooth Ivory | | 80 | Plain | Smooth | Untreated Uncoated | 0 | 360 mm x 250 mm | Optimized for Speed | No |
| 169 | Europe | | Fedrigoni | Splendorgel Extra White | | 100 | Plain | Super Smooth | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 170 | Europe | | Fedrigoni | Splendorgel Extra White | | 115 | Plain | Super Smooth | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 171 | Europe | | Fedrigoni | Splendorgel Extra White | | 140 | Plain | Super Smooth | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 172 | Europe | | Fedrigoni | Splendorgel Extra White | | 160 | Plain | Super Smooth | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 173 | Europe | | Fedrigoni | Splendorgel Extra White | | 190 | Plain | Super Smooth | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 174 | Europe | | Fedrigoni | Splendorgel Extra White | | 230 | Plain | Super Smooth | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 175 | Europe | | Fedrigoni | Splendorgel Extra White | | 270 | Plain | Super Smooth | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 176 | Europe | | Fedrigoni | Splendorgel Extra White | | 300 | Plain | Super Smooth | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 177 | Europe | NEW | Fedrigoni | Symbol Freelifa Satin | | 115 | Coated | Satin | Untreated Matte Coated | 0 | A3 | Optimized for Color | Yes |
| 178 | Europe | | Fedrigoni | Symbol Freelifa Satin | | 115 | Coated | Satin | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 179 | North America | | Finch | Finch 94 | 60 T | 90 | Plain | not specified | Untreated Uncoated | 0 | 12.25 x 18.25 | Optimized for Speed | No |
| 180 | North America | | Finch | Opaque Digital Bright White PN 1008-6015 | 60 T | 89 | Plain | not specified | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 181 | North America | | Finch | Opaque Digital Bright White PN 1008-7015 | 70 T | 104 | Plain | not specified | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 182 | North America | | Finch | Opaque Digital Bright White PN 1008-8015 | 80 T | 118 | Plain | not specified | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 183 | North America | | Finch | Opaque Digital Bright White PN 2508-0017 | 100 C | 270 | Plain | not specified | Untreated Uncoated | 0 | 12 x 18 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|---------------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|--------------------|------------------------------|--------------------|
| 184 | North America | | Finch | Opaque Digital Bright White PN 2508-8017 | 80 C | 216 | Plain | not specified | Untreated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 185 | North America | | Finch | Smartbook Jet Text | 70 T | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 13 x 19 | Optimized for Speed | No |
| 186 | North America | | Global Office Paper | Premium High Bright | 50 T | 75 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 187 | North America | | GPA | Dry Toner 50# White Uncoated Permanent 10-up Labels | 60 T | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 188 | WW | | GPA | Dry Toner X White Satin | 70 T | 105 | Coated | Satin | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 189 | WW | | GPA | Dry Toner X White Satin | 80 T | 118 | Coated | Satin | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 190 | WW | | GPA | Dry Toner X White Satin | 100 T | 148 | Coated | Satin | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 191 | North America | | GPA | GPA Dry Toner 60# Offset White / Permanent Adhesive / 80# U-Split Liner | | 120 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 192 | North America | | GPA | White Dull Text DM1WDT100P | 100 T | 148 | Coated | Dull | Untreated Matte Coated | 0 | 13 x 19 | Optimized for Color | Yes |
| 193 | Europe | | Hadera | CopyKal Business | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 194 | Europe | | Hadera | Digital Word Elenfer C2S Art Paper | | 128 | Coated | Silk | Inkjet Treated Uncoated | 0 | 350 mm x 500 mm | Optimized for Color | Yes |
| 195 | Europe | | Hadera | Hadera Top | | 170 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 196 | North America | | Huge Papers | Nice Art Silk | 80 T | 118 | Coated | Silk | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | Yes |
| 197 | Europe | | Igepa | Circle Offset Premium White | | 80 | Plain | not specified | Untreated Uncoated | 0 | 440 mm x 315 mm | Optimized for Speed | No |
| 198 | WW | | Igepa | Igepa Maxioffset | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 199 | Europe | | Igepa | Igepa Soporset Premium Offset | | 90 | Plain | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 200 | Europe | | Igepa | Igepa Soporset Premium Offset | | 120 | Plain | not specified | Inkjet Treated Uncoated | 0 | 320 mm x 432 mm | Optimized for Speed | No |
| 201 | North America | | Impact | High Tech Xeroxgraphic | 20 B | 75 | Plain | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 202 | North America | | Impact | Xerographic | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 203 | Europe | | Inapa | Bavaria Bulk | | 80 | Coated | Matte | Untreated Matte Coated | 0 | 225 mm x 319 mm | Optimized for Color | Yes |
| 204 | Europe | | Inapa | Pro Laser | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 205 | Europe | | Inapa | Tecno MultiSpeed | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 206 | North America | | InfoSeal | InfoSeal FS 100 Label 1 Up Label Size 8.5" x 11" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 207 | North America | | InfoSeal | InfoSeal FS 105 Label 2 Up Label Size 8.5" x 5.5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 208 | North America | | InfoSeal | InfoSeal FS 110 Label 4 Up Label Size 4.5" x 5.5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 209 | North America | | InfoSeal | InfoSeal FS 115 Label 6 Up Label Size 4.25" x 3.66" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 210 | North America | | InfoSeal | InfoSeal FS 120 Label 8 Up Label Size 4.25" x 2.75" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 211 | North America | | InfoSeal | InfoSeal FS 125 Label 4 Up Label Size 4" x 5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 212 | North America | | InfoSeal | InfoSeal FS 130 Label 6 Up Label Size 8" x 1.5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 213 | North America | | InfoSeal | InfoSeal FS 135 Label 6 Up Label Size 4" x 3.33" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 214 | North America | | InfoSeal | InfoSeal FS 140 Label 8 Up Label Size 8" x 4.25" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 215 | North America | | InfoSeal | InfoSeal FS 145 Label 10 Up Label Size 4" x 2" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 216 | North America | | InfoSeal | InfoSeal FS 150 RC Label 4 Up Label Size 4" x 6" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 217 | North America | | InfoSeal | InfoSeal FS 155 Label 4 Up Label Size 4" x 6" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 218 | North America | | InfoSeal | InfoSeal FS 180 Label 2 Up Label Size 6.75" x 4.75" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 219 | North America | | InfoSeal | InfoSeal FS 185 Label 2 Up Label Size Click & Ship | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 220 | North America | | InfoSeal | InfoSeal FS 190 Label 2 Up Label Size 6.75" x 4.25" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 221 | North America | | InfoSeal | InfoSeal FS 195 Label 2 Up Label Size 7.375" x 4.5" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 222 | North America | | InfoSeal | InfoSeal FS 200 Label 2 Up Label Size eBay Thank You | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 223 | North America | | InfoSeal | InfoSeal FS 230 Label 30 Up Label Size 2.625" x 1" | | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 224 | North America | | InfoSeal | Double Post Card - No Window PSDBPCD | 90 Tag | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 225 | North America | | InfoSeal | Blank 28# PSFEZ | 28 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Color | No |
| 226 | North America | | InfoSeal | BW 28# PSEPRC | 28B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 227 | North America | | InfoSeal | Pressure Seal V-fold PSEMPV | 28 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 228 | North America | | InfoSeal | 90# Tag PSEFLPTB | | 146 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|---------------|---|----------------|------------|---------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 229 | North America | | InfoSeal | TB Double TransVue Window PSEPRBC | 28 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 230 | North America | | InfoSeal | Blank - Security Grade Check Stock PSEPRZ | 24 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 231 | North America | | InfoSeal | Return Envelope PSF2W | 24 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Color | No |
| 232 | North America | | InfoSeal | Double Parallel Fold PSFPRL | 24 B | 105 | Pressure Seal | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Color | No |
| 233 | North America | | Innovative | Innovative UNV21200 | 50 T | 75 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 234 | Europe | | Kabel | ArtiPress Silk | | 90 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 235 | Europe | | Kabel | TerraPress Silk | | 90 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 236 | Europe | | Kabel | TerraPrint Dakota Silk | | 90 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 237 | North America | | Kelly Spicers | Kelly Copy PN 11037A | 20 B | 75 | Plain | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 238 | North America | | Kelly Spicers | Kelly Digital Coated Silk | 60 T | 90 | Coated | Silk | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | Yes |
| 239 | North America | | Kelly Spicers | Kelly Digital Coated Silk | 60 T | 90 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 240 | North America | | Kelly Spicers | Kelly Digital Coated Silk GL | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 241 | North America | | Kelly Spicers | Kelly Digital Coated Silk GS | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 19 x 13 | Optimized for Color | Yes |
| 242 | North America | | Kelly Spicers | Pacesetter Digital Silk | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 243 | North America | | Kelly Spicers | Pacesetter Digital Silk | 60 T | 90 | Coated | Silk | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | Yes |
| 244 | North America | | Kelly Spicers | Pacesetter Digital Silk | 60 T | 90 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|---------------|----------------------------|----------------|------------|------------|---------------|--------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 245 | North America | | Kelly Spicers | Pacesetter Digital Silk GL | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 246 | North America | | Kelly Spicers | Pacesetter Digital Silk GS | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 19 x 13 | Optimized for Color | Yes |
| 247 | North America | | Kelly Spicers | Pacesetter Silk | 80 T | 120 | Coated | Silk | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | Yes |
| 248 | North America | | Kelly Spicers | Pacesetter Silk | 80 T | 120 | Coated | Silk | Untreated Matte Coated | 10 | 8.5 x 11 | Optimized for Color | Yes |
| 249 | North America | | Kelly Spicers | Supreme Digital Silk | 80 T | 118 | Coated | Silk | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 250 | Europe | | Lecta | Condat Digital Silk | | 115 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 251 | Europe | | Lecta | Condat Digital Silk | | 130 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 252 | Europe | | Lecta | Condat Digital Silk | | 135 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 253 | Europe | | Lecta | Condat Digital Silk | | 150 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 254 | Europe | | Lecta | Condat Essential Silk | | 150 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 255 | Europe | | Lecta | Coral Book Ivory | | 90 | Plain | not specified | Untreated Uncoated | 0 | 250 mm x 350 mm | Optimized for Speed | No |
| 256 | Europe | | Lecta | Coral Book Ivory 1,25 | | 80 | Plain | Smooth | Untreated Uncoated | 0 | 350 mm x 250 mm | Optimized for Speed | No |
| 257 | Europe | | Lecta | Coral Book White | | 100 | Plain | not specified | Untreated Uncoated | 0 | 250 mm x 350 mm | Optimized for Speed | No |
| 258 | North America | | Lecta | Digital Creator | 100 T | 148 | Coated | Silk | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 259 | Europe | | Lecta | Garda Satin | | 90 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|-------------------|---|----------------|------------|------------|---------------|---------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 260 | Europe | | Lecta | Gardamatt Art | | 90 | Coated | Matte | Untreated Matte Coated | 0 | 350 mm x 500 mm | Optimized for Color | Yes |
| 261 | Europe | | Lecta | Gardamatt Digital | | 130 | Coated | Matte | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 262 | Europe | | Lessebo | Scandia 2000 | | 130 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 263 | North America | | Lindenmeyr Munroe | High Speed Copier Tabs, 5 Bank Reverse Collated LM7109 | | 199 | Plain | not specified | Untreated Uncoated | 0 | 9 x 11 | Optimized for Speed | No |
| 264 | WW | | Lindenmeyr Munroe | Nantucket Silk | 60 T | 90 | Coated | Silk | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | Yes |
| 265 | WW | | Lindenmeyr Munroe | Nantucket Silk | 60 T | 90 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 266 | WW | | Lindenmeyr Munroe | Nantucket Silk GL | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 267 | WW | | Lindenmeyr Munroe | Nantucket Silk GS | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 19 x 13 | Optimized for Color | Yes |
| 268 | Europe | | Lyreco | Lyreco Premium | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 269 | North America | | Made in the USA | Xerographic Copy Paper | 20 B | 75 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 270 | WW | NEW | Mitsubishi | Giroform Digital Yellow CFB Black Copy PN GDCFBY45380 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 271 | North America | | Mitsubishi | Value InkJet | 60 T | 90 | Inkjet Treated | Matte | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 272 | North America | | Mohawk | Color Copy 100% Recycled | 28 B | 104 | Plain | Smooth | Untreated Uncoated | 100 | 12 x 18 | Optimized for Speed | No |
| 273 | North America | | Mohawk | Color Copy 100% Recycled | 80 C | 216 | Plain | not specified | Untreated Uncoated | 100 | 11 x 17 | Optimized for Speed | No |
| 274 | North America | | Mohawk | Color Copy 100% Recycled | 80 C | 216 | Plain | not specified | Untreated Uncoated | 100 | 12 x 18 | Optimized for Speed | No |
| 275 | North America | | Mohawk | ViaLinen Warm White 30% pcw PN 144015 | 24 B | 90 | Inkjet Treated | Linen | Inkjet Treated Uncoated | 30 | 8.5 x 11 | Optimized for Color | No |
| 276 | Europe | | Mondi | Bio Top 3next | | 120 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 10 | A4 | Optimized for Speed | No |
| 277 | Europe | | Mondi | Bio Top 3next | | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 278 | Europe | | Mondi | Bio Top 3next | | 250 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 279 | WW | | Mondi | Bio Top HSI | 60 T | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 10 | 13 x 19 | Optimized for Speed | Yes |
| 280 | Europe | | Mondi | Bio Top HSI | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 281 | Europe | | Mondi | ColorCopy | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 10 | A3 | Optimized for Color | No |
| 282 | WW | | Mondi | ColorCopy | | 100 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 10 | 12 x 18 | Optimized for Speed | No |
| 283 | WW | | Mondi | ColorCopy | 60 T | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 10 | 13 x 19 | Optimized for Speed | Yes |
| 284 | Europe | | Mondi | ColorCopy | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|------------------------------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 285 | Europe | | Mondi | ColorCopy | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 286 | Europe | | Mondi | ColorCopy | | 100 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 287 | Europe | | Mondi | ColorCopyJET | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 10 | A4 | Optimized for Color | No |
| 288 | Europe | | Mondi | ColorCopyJET | | 90 | Inkjet Treated | Super Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 289 | North America | | Mondi | DNS High Speed Inkjet Coated Feel | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 290 | North America | | Mondi | DNS High Speed Inkjet Coated Feel | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 291 | Europe | | Mondi | DNS High Speed Inkjet Coated Feel | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 292 | Europe | | Mondi | DNS High Speed Inkjet Coated Feel | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 10 | A4 | Optimized for Color | No |
| 293 | North America | | Mondi | DNS High Speed Inkjet Natural Feel | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 294 | North America | | Mondi | DNS High Speed Inkjet Natural Feel | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 295 | Europe | | Mondi | DNS High Speed Inkjet Natural Feel | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 296 | North America | | Mondi | DNS High Speed Inkjet Natural Feel | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 10 | A4 | Optimized for Color | No |
| 297 | North America | | Mondi | DNS High Speed Inkjet Natural Feel | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 10 | SRA3 | Optimized for Color | No |
| 298 | Europe | | Mondi | DNS Premium | | 60 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|--------------|--------------------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 299 | Europe | | Mondi | DNS Premium | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 300 | WW | | Mondi | DNS Premium | | 90 | Coated | Silk | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | No |
| 301 | WW | | Mondi | DNS Premium | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 302 | WW | | Mondi | IQ Smooth | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 10 | 12 x 18 | Optimized for Color | No |
| 303 | Europe | | Mondi | IQ Smooth | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 304 | WW | NEW | Mondi | Nautilus Classic | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | A3 | Optimized for Speed | No |
| 305 | WW | | Mondi | Nautilus Classic | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | A4 | Optimized for Speed | No |
| 306 | WW | NEW | Mondi | Nautilus Classic | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | A3 | Optimized for Speed | No |
| 307 | WW | | Mondi | Nautilus Super White HSI | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 10 | 8.5 x 11 | Optimized for Color | No |
| 308 | Europe | | Mondi | Nautilus Super White HSI | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | A4 | Optimized for Color | No |
| 309 | Europe | | Mondi | Neujet Matte | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 10 | A4 | Optimized for Speed | No |
| 310 | Europe | | Mondi | Neujet Matte | | 135 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 297 mm x 445 mm | Optimized for Color | No |
| 311 | Europe | | Mondi | Neujet Silk Book White | | 90 | Inkjet Treated | Super Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 312 | Europe | | Mondi | Neujet Silk Book White | | 90 | Inkjet Treated | Super Smooth | Inkjet Treated Uncoated | 10 | A4 | Optimized for Color | No |
| 313 | WW | | Mondi | Pergraphica | | 100 | Plain | not specified | Untreated Uncoated | 10 | SRA3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---------------------------------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|---------------|------------------------------|--------------------|
| 314 | Europe | | Mondi | Pergraphica | | 100 | Plain | not specified | Untreated Uncoated | 10 | SRA3 | Optimized for Speed | No |
| 315 | WW | | Mondi | Premium IQ | | 80 | Plain | not specified | Inkjet Treated Uncoated | 10 | 13 x 19 | Optimized for Speed | Yes |
| 316 | Europe | | Mondi | Premium IQ | n/a | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 317 | North America | | Moorim | Pro-Digital Silk | 60 T | 90 | Coated | Silk | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | Yes |
| 318 | North America | | Moorim | Pro-Digital Silk | 60 T | 90 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 319 | North America | | Moorim | Pro-Digital Silk GL | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 13 x 19 | Optimized for Color | Yes |
| 320 | North America | | Moorim | Pro-Digital Silk GS | 70 T | 104 | Coated | Silk | Untreated Matte Coated | 10 | 19 x 13 | Optimized for Color | Yes |
| 321 | North America | | Neenah | Artic White Wove | 24 B | 90 | Plain | Wove | Untreated Uncoated | 30 | 11.25 x 17.25 | Optimized for Speed | No |
| 322 | North America | | Neenah | Conservation Digital Cover | 80 C | 216 | Plain | Smooth | Untreated Uncoated | 100 | 12 x 18 | Optimized for Color | No |
| 323 | North America | | Nekoosa | NCR 3-Part Straight PN 5911 | | 79 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Color | No |
| 324 | North America | | Nekoosa | NCR 2 -Part Reverse PN 5789 | | 79 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 9 x 11 | Optimized for Color | No |
| 325 | North America | | Nekoosa | NCR 2-Part Reverse PN 5891 | | 79 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Color | No |
| 326 | North America | | Nekoosa | NCR 3-Part Reverse PN 5900 | | 79 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 327 | North America | | Nekoosa | NCR 4-Part Straight PN 5925 | | 79 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 328 | North America | NEW | Nekoosa | NCR Paper PN 5914 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 329 | North America | | OVOL | Copy Paper PN 2750OV | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|-------------------|--------------------------------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 330 | Europe | | Papier Union | Fly Snowwhite | | 115 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 331 | Europe | | Papyrus | Arctic Volume White 1.12 | | 150 | Coated | Matte | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 332 | Europe | | Papyrus | MultiBusiness PN 88156562 | | 260 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 333 | Europe | | Papyrus | Plano Superior | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 334 | Europe | | Papyrus | PlanoJet | | 89 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 335 | North America | NEW | Performance Paper | PerfectCut PN 81453 | 24 B | 90 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 336 | North America | NEW | Performance Paper | PerfectCut PN 81457 | 24 B | 90 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 337 | North America | | Performance Paper | PerfectLok | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 17 x 11 | Optimized for Speed | No |
| 338 | North America | | Pixelle | Basic 24 lb | 24 B | 90 | Plain | not specified | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 339 | North America | | Pixelle | Enhanced Hi Brite 7 Point | 100 T | 148 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 340 | North America | | Pixelle | ExcelOne 2 Part Reverse PN 230949 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 341 | North America | | Pixelle | ExcelOne 3 Part Reverse PN 231585 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Color | No |
| 342 | North America | | Pixelle | Pixelle Enhanced PN 229764 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 343 | North America | | Pixelle | Pixelle Enhanced PN 229987 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 344 | North America | | Pixelle | Pixelle Enhanced PN 232556 | 20 B | 74 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|---------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 345 | North America | | Pixelle | Pixelle Enhanced PN 232558 | 20 B | 74 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 346 | North America | | Pixelle | Pixelle Enhanced HiBright | 20 B | 74 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 347 | North America | | Pixelle | Pixelle Enhanced HiBright PN 229909 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 348 | North America | | Pixelle | Pixelle Enhanced HiBright PN 232319 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 349 | North America | | Pixelle | Pixelle Enhanced HiBrite | 20 B | 74 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 350 | Europe | | Premier | Elements Fire | | 80 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 351 | Europe | | Premier | Elements Fire | | 250 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 352 | Europe | | Premier Paper | Essential Silk | | 130 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 353 | South America | | Propal | Reprograf Blanco | | 75 | Plain | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 354 | South America | | Propal | Reprograf Natural | | 72 | Plain | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 355 | North America | | Resolute | Connect | 50 T | 75 | Plain | not specified | Untreated Uncoated | 0 | 11 x 17 | Optimized for Color | No |
| 356 | North America | | Rolland | Enviro Digital PN 5654 | 60 T | 90 | Plain | not specified | Untreated Uncoated | 100 | 8.5 x 11 | Optimized for Speed | No |
| 357 | North America | | Rolland | Enviro Digital PN 5656 | 60 T | 90 | Plain | not specified | Untreated Uncoated | 100 | 12 x 18 | Optimized for Speed | No |
| 358 | North America | | Rolland | Enviro Digital PN 5658 | 70 T | 104 | Plain | not specified | Untreated Uncoated | 100 | 11 x 17 | Optimized for Speed | No |
| 359 | North America | | Rolland | Enviro Digital PN 58561 | 80 C | 216 | Plain | not specified | Untreated Uncoated | 100 | 13 x 19 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 360 | North America | | Rolland | Enviro Jet PN 58153 | 50 T | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | 8.5 x 11 | Optimized for Speed | No |
| 361 | North America | | Rolland | Enviro Jet PN 62230 | 45 T | 67 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | 8.5 x 11 | Optimized for Speed | No |
| 362 | North America | | Rolland | Enviro Jet 140M | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | 12 x 18 | Optimized for Speed | No |
| 363 | North America | | Rolland | Enviro Print PN 5619 | 80 C | 216 | Plain | not specified | Untreated Uncoated | 100 | 13 x 19 | Optimized for Speed | No |
| 364 | North America | | Rolland | HiTech | 60 T | 90 | Plain | not specified | Untreated Uncoated | 30 | 8.5 x 11 | Optimized for Speed | No |
| 365 | North America | | Rolland | HiTech | 70 T | 104 | Plain | not specified | Untreated Uncoated | 30 | 11.5 x 17.5 | Optimized for Speed | No |
| 366 | North America | | Rolland | HiTech | 70 T | 104 | Plain | not specified | Untreated Uncoated | 30 | 13 x 19 | Optimized for Speed | No |
| 367 | North America | | Rolland | HiTech Inkjet Smooth True White Blanc Pur | 50 T | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 100 | 8.5 x 11 | Optimized for Speed | No |
| 368 | North America | | Rolland | HiTech Inkjet Smooth True White Blanc Pur | 24 B | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 30 | 8.5 x 11 | Optimized for Color | No |
| 369 | North America | | Rolland | Opaque PN 62794 | 100 T | 148 | Plain | Smooth | Untreated Uncoated | 30 | 8.5 x 14 | Optimized for Speed | No |
| 370 | North America | | Rolland | Opaque | 100 T | 148 | Plain | Smooth | Untreated Uncoated | 30 | 11 x 17 | Optimized for Speed | No |
| 371 | North America | | Sappi | EuroArt Plus Silk | 80 T | 118 | Coated | Silk | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 372 | North America | | Sappi | EuroArt Plus Silk | 100 T | 148 | Coated | Silk | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 373 | North America | | Sappi | Flo Dull Digital PN K11964 | 100 T | 148 | Coated | Dull | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 374 | North America | | Sappi | Flo Dull Digital PN K11971 | 80 T | 118 | Coated | Dull | Untreated Matte Coated | 0 | 13 x 19 | Optimized for Color | Yes |
| 375 | Europe | | Sappi | Magno Matte | | 115 | Coated | Matte | Untreated Matte Coated | 0 | A4 | Optimized for Color | Yes |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|----------------|--|----------------|------------|------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 376 | Europe | NEW | Sappi | Magno Matte | | 115 | Coated | Matte | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 377 | Europe | | Sappi | Magno Matte | | 130 | Coated | Matte | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 378 | Europe | | Sappi | Magno Matte | | 150 | Coated | Matte | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 379 | Europe | | Sappi | Magno Satin | | 90 | Coated | Satin | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 380 | Europe | | Sappi | Magno Satin | | 115 | Coated | Satin | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 381 | Europe | | Sappi | Magno Satin | | 130 | Coated | Satin | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 382 | Europe | | Sappi | Magno Satin | | 135 | Coated | Satin | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 383 | Europe | NEW | Sappi | Magno Satin | | 150 | Coated | Satin | Untreated Matte Coated | 0 | A4 | Optimized for Color | Yes |
| 384 | Europe | | Sappi | Magno Satin | | 150 | Coated | Satin | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 385 | North America | | Sappi | McCoy Silk | 80 T | 118 | Coated | Silk | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 386 | North America | | Sappi | Opus Dull | 80 T | 118 | Coated | Dull | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | Yes |
| 387 | North America | | Sappi | Opus Dull | 100 T | 148 | Coated | Dull | Untreated Matte Coated | 10 | 12 x 18 | Optimized for Color | Yes |
| 388 | North America | | Sappi | Opus Dull PN 13655 | 100 T | 148 | Coated | Dull | Untreated Matte Coated | 0 | 13 x 19 | Optimized for Color | Yes |
| 389 | South America | | Sappi | Quatro Plus | | 90 | Coated | Silk | Untreated Matte Coated | 0 | 11 x 17 | Optimized for Color | Yes |
| 390 | North America | | Southern Index | 1-up ID Card Paper Inkjet Laminated perf PN 4B1146 | 60 C | 140 | ID Card | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|----------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 391 | North America | | Southern Index | 1-up ID Card 7 mil Better Card Laminated Perf PN 4B1180 | 60 C | 140 | ID Card | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 392 | North America | | Southern Index | 2-up ID Card Paper Inkjet Laminated Perf PN 4B1140 | 60 C | 140 | ID Card | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 393 | North America | | Staples | Staples 30% Recycled Copy Paper | 20 B | 75 | Plain | not specified | Untreated Uncoated | 30 | 8.5 x 11 | Optimized for Speed | No |
| 394 | North America | | Staples | Staples Copy Paper | 20 B | 75 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 395 | Europe | | Stora Enso | BergaJet | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 396 | Europe | | Stora Enso | BergaJet | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 397 | Europe | | Stora Enso | Canon Red Label Superior | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 398 | Europe | | Stora Enso | Lumi Plus | | 90 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 399 | Europe | | Stora Enso | MultiCopy | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 400 | Europe | | Stora Enso | MultiCopy | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 401 | Europe | | Stora Enso | MultiCopy | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 402 | Europe | | Stora Enso | MultiCopy | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 403 | Europe | | Stora Enso | Plano Dynamic | | 75 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 404 | Europe | | Stora Enso | Plano Plus | | 90 | Plain | not specified | Untreated Uncoated | 0 | A3 | Optimized for Speed | No |
| 405 | Europe | | Stora Enso | Plano Superior | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 406 | Europe | | Stora Enso | PlanoJet | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 407 | Europe | | Stora Enso | PlanoJet | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 408 | Europe | | Stora Enso | Superior Jet | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 409 | North America | | Supreme | Supreme HiBright Copy Paper | 20 B | 75 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 410 | WW | | Suzano | Artwork Premium Multipurpose Business Paper | | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 411 | WW | | Suzano | Artwork Premium Multipurpose Business Paper | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 412 | South America | | Suzano | Fit Silk | | 90 | Coated | Silk | Untreated Matte Coated | 0 | A4 | Optimized for Color | Yes |
| 413 | WW | | Suzano | Paperfect SG | | 60 | Plain | not specified | Untreated Uncoated | 0 | 320 mm x 440 mm | Optimized for Speed | Yes |
| 414 | WW | | Suzano | Paperfect Offset Smooth | | 60 | Plain | not specified | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 415 | North America | | Sylvamo (previously International Paper) | Accent Opaque Digital SuperSmooth with ImageLok | 70 T | 104 | Inkjet Treated | Super Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 416 | North America | | Sylvamo (previously International Paper) | Accent Opaque Digital SuperSmooth with ImageLok | 80 T | 118 | Inkjet Treated | Super Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 417 | North America | | Sylvamo (previously International Paper) | Accent Opaque Digital SuperSmooth with ImageLok PN 17110 | 60 T | 89 | Inkjet Treated | Super Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 418 | North America | | Sylvamo (previously International Paper) | Accent Opaque Digital with ColorPro | 70 T | 105 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 419 | North America | | Sylvamo (previously International Paper) | Accent Opaque Digital with ImageLok PN 288084 | 70 T | 104 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Color | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 420 | North America | | Sylvamo (previously International Paper) | Accent Opaque Plain | 60 T | 90 | Plain | Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 421 | North America | | Sylvamo (previously International Paper) | Accent Opaque Plain | 80 T | 120 | Plain | Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 422 | North America | | Sylvamo (previously International Paper) | Accent Opaque Super Smooth | 65 C | 176 | Plain | Super Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 423 | North America | | Sylvamo (previously International Paper) | Accent Opaque Super Smooth | 80 C | 216 | Plain | Super Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 424 | North America | | Sylvamo (previously International Paper) | Accent Opaque Text White Smooth | 70 T | 104 | Plain | Smooth | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 425 | North America | | Sylvamo (previously International Paper) | Accent Opaque Text White Smooth | 80 T | 118 | Plain | Smooth | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 426 | North America | | Sylvamo (previously International Paper) | Accent Opaque with ImageLok | 70 T | 104 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 427 | North America | | Sylvamo (previously International Paper) | Accent Opaque with ImageLok Smooth PN 288083 | 60 T | 89 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 428 | North America | | Sylvamo (previously International Paper) | Hammermill 3-hole PN 105031 | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 429 | North America | | Sylvamo (previously International Paper) | Hammermill Copy Plus PN 105023 | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 430 | North America | | Sylvamo (previously International Paper) | Hammermill Fore MultiPurpose 24lb | 24 B | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 431 | North America | NEW | Sylvamo (previously International Paper) | Hammermill ForeMultiPurpose Paper for MULTI 3 hole, 3 perf PN 202287 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 432 | North America | | Sylvamo (previously International Paper) | Hammermill Premium ColorCopy 28 lb | 28 B | 105 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 433 | North America | | Sylvamo (previously International Paper) | Hammermill Premium MultiPurpose PN 105810 | 24 B | 90 | inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 434 | WW | | Sylvamo (previously International Paper) | JetStar | 60 T | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 435 | WW | | Sylvamo (previously International Paper) | JetStar | | 100 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 436 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 437 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 438 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 100 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 439 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 100 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 440 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 120 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 441 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 160 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 442 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 200 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 443 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 200 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 444 | Europe | | Sylvamo (previously International Paper) | PRO-DESIGN | | 250 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 445 | North America | | Sylvamo (previously International Paper) | Relay MP | 20 B | 75 | Plain | not specified | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 446 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Blue | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 447 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Blue | | 160 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 448 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Canary | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 449 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Gray | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 450 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Green | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 451 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Intense Blue | | 160 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 452 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Intense Orange | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 453 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Intense Red | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 454 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Intense Red | | 160 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 455 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Ivory | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 456 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Pink | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 457 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Purple Lilac | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 458 | Europe | | Sylvamo (previously International Paper) | Rey Adagio Salmon | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 459 | Europe | | Sylvamo (previously International Paper) | Rey Office | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 460 | North America | | Sylvamo (previously International Paper) | Springhill Digital Opaque Offset Cream | 60 T | 90 | Plain | not specified | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 461 | North America | | Sylvamo (previously International Paper) | Williamsburg Plus Offset Smooth PN 05306 | 60 T | 89 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 462 | North America | | Sylvamo (previously International Paper) | Williamsburg Plus Offset Smooth PN 05324 | 60 T | 89 | Plain | Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 463 | North America | | Sylvamo (previously International Paper) | Williamsburg Plus Offset Smooth PN 05335 | 70 T | 104 | Plain | Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 464 | WW | | The Navigator Company | Discovery | | 70 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 465 | WW | | The Navigator Company | EcoLogical | | 75 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 466 | WW | | The Navigator Company | Hard Cover PN 989460 | | 250 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 467 | WW | | The Navigator Company | Inacopia Elite | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 468 | WW | | The Navigator Company | Inaset Laser Plus | | 160 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 469 | WW | | The Navigator Company | Inaset Plus Digital | | 80 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 470 | WW | | The Navigator Company | Inaset Plus Digital | | 100 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 471 | WW | | The Navigator Company | Inaset Plus Digital | | 160 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 472 | WW | | The Navigator Company | Navigator Expression UHD | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 473 | WW | | The Navigator Company | Navigator Expression UHD | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 474 | WW | | The Navigator Company | Navigator Presentation UHD | | 100 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|-----------------------|--------------------------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 475 | WW | | The Navigator Company | Navigator Presentation UHD | | 100 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 476 | WW | | The Navigator Company | Navigator Bold Design | | 200 | Plain | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 477 | WW | | The Navigator Company | Navigator Colour Documents UHD | | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 478 | WW | | The Navigator Company | Navigator Digital UHD | | 75 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 479 | WW | | The Navigator Company | Navigator Digital UHD | | 80 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 480 | WW | | The Navigator Company | Navigator Digital UHD | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 481 | WW | | The Navigator Company | Navigator Digital UHD | | 100 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 482 | WW | | The Navigator Company | Navigator Digital UHD | | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 483 | WW | | The Navigator Company | Navigator Office Card | | 160 | Plain | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 484 | WW | | The Navigator Company | Navigator Platinum UHD | 20 B | 74 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 485 | WW | | The Navigator Company | Navigator Platinum UHD | 24 B | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Color | No |
| 486 | WW | | The Navigator Company | Navigator Platinum UHD | 24 B | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 487 | WW | | The Navigator Company | Navigator Premium Multipurpose | 24 B | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 488 | WW | | The Navigator Company | Navigator PrePrint | | 80 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 489 | WW | | The Navigator Company | Navigator PrePrint | | 100 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 490 | WW | | The Navigator Company | Navigator PrePrint | | 160 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|-----------------------|-------------------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 491 | WW | | The Navigator Company | Navigator Universal UHD | | 80 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 492 | WW | | The Navigator Company | Navigator Universal UHD | | 80 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 493 | WW | | The Navigator Company | Navigator Universal UHD | | 80 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 494 | WW | | The Navigator Company | Pioneer | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 495 | WW | | The Navigator Company | Soporset Digital UHD | | 75 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 496 | WW | | The Navigator Company | Soporset Digital UHD | | 80 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 497 | WW | | The Navigator Company | Soporset Digital UHD | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 498 | WW | | The Navigator Company | Soporset Digital UHD | | 100 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 499 | WW | | The Navigator Company | Soporset Digital UHD | | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 500 | WW | | The Navigator Company | Soporset Opaque Smooth | 50 T | 75 | Plain | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 501 | WW | | The Navigator Company | Soporset Opaque Smooth | 80 T | 118 | Plain | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 502 | WW | | The Navigator Company | Soporset Opaque Smooth | 80 T | 118 | Plain | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 503 | WW | | The Navigator Company | Soporset Opaque Smooth | 63 C | 170 | Plain | Smooth | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Color | No |
| 504 | WW | | The Navigator Company | Soporset Opaque Smooth | 63 C | 170 | Plain | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Color | No |
| 505 | WW | | The Navigator Company | Soporset Premium Offset | | 60 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|-----------------------|------------------------------|----------------|------------|------------|---------------|---------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 506 | WW | | The Navigator Company | Soporset Premium Offset | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 507 | WW | | The Navigator Company | Soporset Premium Offset | | 80 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 508 | WW | | The Navigator Company | Soporset Premium Offset | | 90 | Plain | not specified | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 509 | WW | | The Navigator Company | Soporset Premium Offset | | 90 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 510 | WW | | The Navigator Company | Soporset Premium Offset | | 90 | Plain | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 511 | WW | | The Navigator Company | Soporset Premium Offset | | 120 | Plain | not specified | Inkjet Treated Uncoated | 0 | 320 mm x 430 mm | Optimized for Speed | No |
| 512 | WW | | The Navigator Company | Soporset Premium Offset | | 120 | Plain | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 513 | WW | | The Navigator Company | Soporset Premium Offset | | 160 | Plain | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 514 | WW | | The Navigator Company | Soporset PrePrint | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 515 | WW | | The Navigator Company | Soporset PrePrint | | 100 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 516 | WW | | The Navigator Company | Soporset PrePrint | | 160 | Plain | not specified | Untreated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 517 | Europe | | Torras | Security Paper | | 78 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 518 | Europe | NEW | Torrapapel | Eurocalco Digital Blanco CB | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 519 | Europe | NEW | Torrapapel | Eurocalco Digital Blanco CFB | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|--------------|------------------------------|----------------|------------|----------------|------------------|---------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 520 | Europe | NEW | Torraspapel | Eurocalco Digital Blanco CFB | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 521 | Europe | | UPM | Canon Top Colour Digital | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 522 | Europe | | UPM | Digi Fine Jet | | 80 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 523 | Europe | | UPM | Digi Fine Jet | | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 524 | Europe | | UPM | Digi Finesse Premium | | 90 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 525 | Europe | | UPM | Digi Finesse Premium | | 130 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 526 | Europe | | UPM | Digi Finesse Premium Text | | 115 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 527 | Europe | | UPM | Digi Finesse Premium Text | | 150 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 528 | Europe | | UPM | Fine | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 529 | Europe | | UPM | Fine SC | | 80 | Plain | super calandared | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 530 | Europe | | UPM | Fine SC | | 90 | Plain | super calandared | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 531 | Europe | | UPM | MaxiOffset | | 170 | Plain | not specified | Untreated Uncoated | 0 | SRA3+ | Optimized for Speed | No |
| 532 | Europe | | UPM | MaxiOffset NaturOffset | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | 320 mm x 430 mm | Optimized for Speed | No |
| 533 | Europe | | UPM | Office Copy | | 80 | Plain | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 534 | Europe | | UPM | Office Presentation | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|--|----------------|------------|----------------|---------------|---------------------------|--------------------------|-----------------|------------------------------|--------------------|
| 535 | Europe | | UPM | PrePersonal Sheets | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 536 | Europe | | UPM | PrePersonal Sheets | | 90 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 537 | Europe | | UPM | PrePrint | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 538 | Europe | | UPM | Sol Plus | | 80 | Coated | Matte | Untreated Matte Coated | 0 | 225 mm x 319 mm | Optimized for Color | Yes |
| 539 | North America | | Veritiv | Econosource Multipurpose PN U50220 | 20 B | 75 | Plain | not specified | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 540 | North America | | Veritiv | Endurance Digital Silk | 80T | 118 | Coated | Silk | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 541 | North America | | Veritiv | Endurance Digital Silk | 100 T | 148 | Coated | Silk | Untreated Matte Coated | 0 | 12 x 18 | Optimized for Color | Yes |
| 542 | North America | | Veritiv | Endurance Silk PN ED8T52RW | 100 T | 148 | Coated | Silk | Untreated Matte Coated | 0 | 13 x 19 | Optimized for Color | Yes |
| 543 | North America | | Veritiv | Starbrite Opaque Select Smooth White | 40 T | 60 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 544 | North America | | Xerox | 3-Part Straight (W-C-P) Multipurpose PN 003R12855 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 545 | North America | | Xerox | 3-Part Straight (W-C-P) Premium Digital PN 003R12425 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 546 | North America | | Xerox | 2-Part Reverse/Straight (C-W) Multipurpose PN 003R12850 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 547 | North America | | Xerox | 2-Part Straight/Reverse (W-C) Premium Digital PN 003R12420 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 548 | North America | | Xerox | 4-Part Straight (W-C-P-GR) Premium Digital PN 003R12430 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|--------------------|----------------|------------|----------------|--------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 549 | North America | | Xerox | Bold PN 3R11540 | 24 B | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 550 | North America | | Xerox | Bold PN 3R11542 | 24 B | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Speed | No |
| 551 | North America | | Xerox | Bold PN 3R11543 | 24 B | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 552 | North America | | Xerox | Bold PN 3R11760 | 28 B | 105 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 553 | North America | | Xerox | Bold PN 3R11762 | 28 B | 105 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 554 | North America | | Xerox | Bold PN 3R11763 | 28 B | 105 | Plain | Smooth | untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 555 | North America | | Xerox | Bold PN 3R11764 | 32 B | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 556 | North America | | Xerox | Bold PN 3R11765 | 32 B | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 557 | North America | | Xerox | Bold PN 3R11766 | 32 B | 120 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 558 | North America | | Xerox | Bold PN 3R11767 | 60 C | 163 | Plain | Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 559 | North America | | Xerox | Bold PN 3R11768 | 60 C | 163 | Plain | Smooth | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 560 | North America | | Xerox | Bold PN 3R11770 | 80 C | 216 | Plain | Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 561 | North America | | Xerox | Bold PN 3R11771 | 80 C | 216 | Plain | Smooth | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 562 | North America | | Xerox | Bold PN 3R11772 | 80 C | 216 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 563 | North America | | Xerox | Bold PN 3R11774 | 100 C | 270 | Plain | Smooth | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 564 | North America | | Xerox | Bold PN 3R11775 | 100 C | 270 | Plain | Smooth | Untreated Uncoated | 0 | 17 x 11 | Optimized for Speed | No |
| 565 | North America | | Xerox | Bold PN 3R11776 | 100 C | 270 | Plain | Smooth | Untreated Uncoated | 0 | 12 x 18 | Optimized for Speed | No |
| 566 | North America | | Xerox | Bold PN 3R20150 | 28 B | 105 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---------------------------------|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 567 | North America | | Xerox | Bold with ColorLok 30% Recycled | 28 B | 105 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 30 | 8.5 x 11 | Optimized for Color | No |
| 568 | Europe | | Xerox | Buisness PN 00391895 | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 569 | Europe | | Xerox | ColorPrint | | 100 | Plain | not specified | Untreated Uncoated | 0 | A3 | Optimized for Speed | No |
| 570 | Europe | | Xerox | ColorPrint PN 003R95254 | | 90 | Plain | Smooth | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 571 | Europe | | Xerox | ColorPrint PN 003R96602 | | 120 | Plain | Smooth | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 572 | Europe | | Xerox | ColoTech PN 003R99032 | | 280 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Color | No |
| 573 | Europe | | Xerox | ColoTech+ | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA4 | Optimized for Speed | No |
| 574 | Europe | | Xerox | ColoTech+ PN 003R95844 | | 100 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 575 | Europe | | Xerox | ColoTech+ PN 003R98837 | | 90 | Inkjet Treated | Smooth | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 576 | Europe | | Xerox | ColoTech+ PN 003R98839 | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 577 | Europe | | Xerox | ColoTech+ PN 003R98845 | | 100 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 578 | Europe | | Xerox | ColoTech+ PN 003R98849 | | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 579 | Europe | | Xerox | ColoTech+ PN 003R98847 | | 120 | Inkjet Treated | Smooth | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 580 | Europe | | Xerox | ColoTech+ PN 003R98852 | | 160 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 581 | Europe | | Xerox | ColoTech+ PN 003R98975 | | 250 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 582 | Europe | | Xerox | ColoTech+ PN 003R99000 | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 583 | Europe | | Xerox | ColoTech+ PN 003R99001 | | 90 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 584 | Europe | | Xerox | ColoTech+ PN 003R99006 | | 100 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|--------|-----|--------------|---|----------------|------------|----------------|--------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 585 | Europe | | Xerox | ColoTech+ PN 003R99007 | | 100 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 586 | Europe | | Xerox | ColoTech+ PN 003R99011 | | 120 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 587 | Europe | | Xerox | ColoTech+ PN 003R99014 | | 160 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Speed | No |
| 588 | Europe | | Xerox | ColoTech+ PN 003R99015 | | 160 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 589 | Europe | | Xerox | ColoTech+ PN 003R99016 | | 160 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 590 | Europe | | Xerox | ColoTech+ PN 003R99019 | | 200 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A3 | Optimized for Speed | No |
| 591 | Europe | | Xerox | ColoTech+ PN 003R99020 | | 200 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 592 | Europe | | Xerox | ColoTech+ PN 003R99026 | | 250 | Inkjet Treated | Smooth | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 593 | Europe | | Xerox | ColoTech+ Silk | | 130 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 594 | Europe | | Xerox | ColoTech+ Silk | 60 T | 115 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 595 | Europe | | Xerox | ColoTech+ Silk | | 150 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 596 | Europe | | Xerox | Colour Impressions PN 003R97663 | | 90 | Plain | Smooth | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 597 | Europe | | Xerox | Colour Impressions Silk | | 90 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 598 | Europe | | Xerox | Colour Impressions Silk | | 100 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 599 | Europe | | Xerox | Colour Impressions Silk | | 115 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---|----------------|------------|------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 600 | Europe | | Xerox | Colour Impressions Silk | | 130 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 601 | Europe | | Xerox | Colour Impressions Silk | | 150 | Coated | Silk | Untreated Matte Coated | 0 | SRA3 | Optimized for Color | Yes |
| 602 | WW | | Xerox | Digital Paper PN 003R70024 | | 75 | Plain | Silk | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 603 | Europe | | Xerox | Digital Paper PN 103R00924 | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 604 | Europe | NEW | Xerox | Performer PN 00390649 | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 605 | North America | | Xerox | Premier PN 003R94787 | 20 B | 75 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Color | No |
| 606 | Europe | | Xerox | Premier PN 003R91720 | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Color | No |
| 607 | Europe | | Xerox | Premier PN 003R98792 | | 80 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Speed | No |
| 608 | Europe | | Xerox | Premier PN 003R91854 | | 90 | Plain | not specified | Untreated Uncoated | 0 | A4 | Optimized for Color | No |
| 609 | WW | | Xerox | Premium PN 003R006829 | 50 T | 75 | Plain | not specified | Untreated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 610 | WW | | Xerox | Premium | 50 T | 75 | Plain | not specified | Untreated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 611 | Europe | NEW | Xerox | Premium Carbonless CFB PN 003R90410 Green | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |

| Item # | Source | NEW | Manufacturer | Media Name | Weight lbs (#) | Weight gsm | Paper Type | Finish | Program Media As: | Percent Recycled Content | Size Tested | Suggested Speed Single Dryer | Use Custom Profile |
|--------|---------------|-----|--------------|---|----------------|------------|----------------|---------------|---------------------------|--------------------------|-------------|------------------------------|--------------------|
| 612 | Europe | NEW | Xerox | Premium Digital Carbonless CB White PN 003R90400 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 613 | Europe | NEW | Xerox | Premium Digital Carbonless CF PN 003R90413 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 614 | Europe | NEW | Xerox | Premium Digital Carbonless CFB Yellow PN 003R90407 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | SRA3 | Optimized for Speed | No |
| 615 | Europe | | Xerox | Premium Digital Carbonless Green CF PN 003R99079 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 616 | Europe | | Xerox | Premium Digital Carbonless Green CFB PN 00399073 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 617 | Europe | | Xerox | Premium Digital Carbonless White CB PN 003R99069 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 618 | Europe | | Xerox | Premium Digital Carbonless Yellow CFB PN 003R99071 | | 80 | Carbonless | not specified | Inkjet Treated Uncoated | 0 | A4 | Optimized for Color | No |
| 619 | North America | | Xerox | Vitality PN 003R02047 | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 620 | North America | | Xerox | Vitality PN 003R02051 | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 14 | Optimized for Speed | No |
| 621 | North America | | Xerox | Vitality PN 003R02531 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 8.5 x 11 | Optimized for Speed | No |
| 622 | North America | | Xerox | Vitality PN 003R03761 | 20 B | 75 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |
| 623 | North America | | Xerox | Vitality PN 003R03871 | 24 B | 90 | Inkjet Treated | not specified | Inkjet Treated Uncoated | 0 | 11 x 17 | Optimized for Speed | No |